



GREENSTAR STYLE RANGE





STYLE IS HERE

The Greenstar Style range has arrived, and it is beautiful. Available with a choice of high gloss black or white, our top of the range Style boilers have been designed to deliver the highest levels of heating comfort for your home.

Yes, it's a boiler, but not as you know it.








THE FUTURE IS STYLE

For more than 50 years, we've developed pioneering heating and hot water appliances to warm homes across the UK. Now, building upon the foundations of our award-winning Greenstar boiler range, we've created a stunning, design-led boiler for the heart of your home without any compromise on quality or performance.

Our Style boilers feature innovative new technology that will maximise your comfort and help to optimise heating and hot water performance. For instance, our optional unique Intelligent Filling System constantly monitors your heating system's pressure and, if ever this drops, it will automatically re-fill your system. This takes away the need to manually top up your boiler's system pressure.





STYLE IS POWER

Packed with innovative new features which help keep your boiler performing at its best, Style is developed to suit virtually any domestic heating requirement. It is our most powerful and connected wall hung boiler yet, and comes with the renowned reliability of Worcester Bosch technology.

The Style range is capable of delivering up to 50kW with the highest hot water flow rates of any wall hung combi-boiler on the market. This makes the Greenstar Style boiler range perfect for homes of any size, with the power to efficiently heat large homes with two or more bathrooms.



BUILT TO SUIT YOUR LIFESTYLE

The Style range has been designed to suit your lifestyle, as well as your home. With an easy-to-use full colour display, and connectivity with the wireless Bosch EasyControl, you have the power to effortlessly control your home's heating and hot water from anywhere.



QUIETLY KEEPING YOU WARM

Not only does the Style range feature a fantastic new design, more power and greater connectivity, we've even made it one of our quietest boilers too.

Style has been designed to sit comfortably in any room of your home to keep you cosy in the cold winter months, and you may not even know it's there.



FUTURE PROOF YOUR HOME

We want you to have the same confidence in our boilers as we do, which is why we are offering up to a **10 year guarantee*** on the entire Greenstar Style range.





CONTROLS

The Greenstar Style range is compatible with a range of controls, offering you simple solutions to manage the heating and hot water to suit your home.

WIRELESS BOSCH EASYCONTROL

The wireless Bosch EasyControl is a smart internet-connected room thermostat that connects directly to your smartphone. It allows you to control your heating and hot water on-the-go.

GREENSTAR COMFORT + RANGE

The Greenstar Comfort is an intelligent programmer and a room thermostat allowing access to control functions from a single, easily accessible location.



THE BOILER, BUT NOT AS YOU KNOW IT

TECHNICAL SPECIFICATIONS

	Combi					System	
STYLE	3 0 k W	3 5 k W	4 0 k W	4 5 k W	5 0 k W	3 0 k W	3 5 k W
Maximum horizontal flue lengths (60/100)	17m	10m	11m	8m	9m	17m	10m
Maximum vertical flue lengths (60/100)	21m	14m	15m	12m	15m	21m	14m
Clearance above flue	170/210mm*	170/210mm*	170/210mm*	170/210mm*	170/210mm*	170/210mm*	170/210mm*
Clearance (sides)	5mm	5mm	5mm	5mm	5mm	5mm	5mm
Clearance (below)	200mm	200mm	200mm	200mm	200mm	200mm	200mm
Clearance (front)	600mm**	600mm**	600mm**	600mm**	600mm**	600mm**	600mm**
Width	440mm	440mm	440mm	440mm	440mm	440mm	440mm
Height	780mm	780mm	780mm	780mm	780mm	780mm	780mm
Depth	365mm	365mm	365mm	365mm	365mm	365mm	365mm
Flow rate at the hot water tap (35°C)	12.3 l/min^	14.3 l/min^	16.4 l/min^	18.3 l/min^	20.3 I/min^		
Flow rate at the hot water tap (40°C)	10.7 l/min#	12.5 l/min#	14.3 l/min#	16.1 l/min#	17.9 l/min#		
Output kW to central heating	3kW - 30kW	3.5kW – 35kW	3.5kW – 35kW	3.5kW – 35kW	3.5kW – 35kW	3kW - 30kW	3.5kW – 35kW

Height for either 60/100 flue or 80/125 flue.

²⁰mm from a removable cupboard door. 600mm from a fixed surface for servicing. Same clearances for ventilated and unventilated compartments

Values for industry comparisons

Designed operational flow rate. Maximum flow rates will only be achieved if sufficient dynamic pressure is available. Maximum flow is subject to a tolerance of 15%. Refer to installation manuals for more information.

Share

We would love to see your new boiler and heating system.

- (y) @HeatingYourHome
- (f) Worcester Bosch UK
- @WorcesterBosch
- Worcester Bosch

Worcester Bosch

Cotswold Way Warndon Worcester WR4 9SW

worcester-bosch.co.uk

Calls to and from Bosch Thermotechnology Ltd may be recorded for training and quality assurance purposes. Worcester Bosch is a brand name of Bosch Thermotechnology Ltd. This brochure is accurate at the date of printing, but may be superseded and should be disregarded if specification and/or appearances are changed in the interest of continued improvement. The statutory rights of the consumer are not affected.



